

Gretl keyboard shortcuts

Gretl provides keyboard shortcuts for various commands. Some of these are standard and are indicated in the menus; for example `Ctrl-s` (on the Mac, `⌘-s`) in the main window saves the current dataset, as indicated under the File menu. Others are specific to gretl and do not appear in the menus; these are documented below.

<i>Context</i>	<i>Key</i>	<i>Effect</i>
Most windows	<code>Alt-w</code>	popup menu listing open gretl windows
	<code>Alt-PgUp</code>	previous gretl window (Mac: <code>⌘-~</code>)
	<code>Alt-PgDn</code>	next gretl window (Mac: <code>⌘-`</code>)
Main window	<code>g</code>	open dialog for defining a new variable
	<code>h</code>	open command reference
	<code>c</code>	open the console
	<code>e</code>	edit properties of the selected series
	<code>t</code>	time-series plot of selected series (if applicable)
	<code>Alt-x</code>	open dialog for executing a single command
	<code>Ctrl-v</code>	paste data from clipboard (CSV or similar)
Graph window	<code>Delete</code>	delete the selected series
	<code>q</code>	close
	<code>s</code>	save to session
	<code>z</code>	start zooming
Model window	<code>a</code>	render audio graph (if supported)
	<code>q</code>	close
	<code>s</code>	save to session
	<code>a</code>	do audio (if supported)
Script output	<code>x</code>	stop audio
	<code>Alt-c</code>	cascade windows
Data files window	<code>Enter</code>	open the selected file
Console window	<code>Up</code>	navigate the command history, back
	<code>Down</code>	navigate command history, forward
	<code>Tab</code>	command completion